



Catalog de produse si lista de preturi

Tevi si fittinguri din PPR




TEAVA



D

S

1 Teava PN 20




Recomandata la: -apa calda max. 60°C
-incalzire centrala max. 80°C

16 × 2,7	m	160	0,11	0,28	101016	16	2,7							
20 × 3,4	m	100	0,17	0,44	101020	20	3,4							
25 × 4,2	m	60	0,27	0,73	101025	25	4,2							
32 × 5,4	m	40	0,43	1,10	101032	32	5,4							
40 × 6,7	m	24	0,67	1,83	101040	40	6,7							
50 × 8,3	m	16	1,00	2,75	101050	50	8,3							
63 × 10,5	m	12	1,65	4,07	101063	63	10,5							
75 × 12,5	m	8	2,34	5,50	101075	75	12,5							
90 × 15	m	4	3,36	9,17	101090	90	15,0							
110 × 18,3	m	4	5,01	10,31	101110	110	18,3							

Obs.: la montajul aparent, datorita gradului de dilatare, se recomanda teava Stabi sau Fibra Compozita sau aplicarea mai apropiata a elementelor de sustinere (bride) .


2 Teava PN 16



Recomandata la: -apa rece max. 20°C
-apa calda max.60°C

16 × 2,2	m	160	0,10	0,28	102016	16	2,2							
20 × 2,8	m	100	0,15	0,44	102020	20	2,8							
25 × 3,5	m	60	0,23	0,73	102025	25	3,5							
32 × 4,4	m	40	0,37	1,10	102032	32	4,4							
40 × 5,5	m	24	0,58	1,83	102040	40	5,5							
50 × 6,9	m	16	0,90	2,75	102050	50	6,9							
63 × 8,6	m	12	1,41	4,07	102063	63	8,6							
75 × 10,3	m	8	2,00	5,50	102075	75	10,3							
90 × 12,3	m	4	2,90	9,17	102090	90	12,3							
110 × 15,1	m	4	4,30	10,31	102110	110	15,1							

3 Teava PN 10



Recomandata la: -apa rece max.20°C

20 × 2,3	m	100	0,12	0,44	103020	20	2,3							
25 × 2,3	m	60	0,16	0,73	103025	25	2,3							
32 × 2,9	m	40	0,26	1,10	103032	32	2,9							
40 × 3,7	m	24	0,41	1,83	103040	40	3,7							
50 × 4,6	m	16	0,64	2,75	103050	50	4,6							
63 × 5,8	m	12	1,00	4,07	103063	63	5,8							
75 × 6,8	m	8	1,40	5,50	103075	75	6,8							
90 × 8,2	m	4	2,03	9,17	103090	90	8,2							
110 × 10	m	4	3,00	10,31	103110	110	10,0							




D S S1

TEAVA

Recomandata la: -apa calda max. 60°C
-incalzire centrala max. 80°C

10 x 2,0	kg		1,00	2,76	104010	10	2,0												
20 x 2,3	m	200	0,12	3,14	104020	20	2,3												
16 x 2,2	m	200	0,10	2,01	104016	16	2,2												
20 x 2,8	m	200	0,15	3,14	104021	20	2,8												
20 x 3,4	m	200	0,17	3,14	104022	20	3,4												




Teava colac 4



Recomandata la: -apa calda max. 60°C
-incalzire centrala max. 95°C

16 x 2,4	m	100	0,17	0,28	106016	16	2,5	3,15											
20 x 3,0	m	100	0,21	0,44	106020	20	3,0	4,00											
25 x 3,7	m	60	0,31	0,73	106025	25	3,7	4,70											
32 x 4,8	m	40	0,47	1,10	106032	32	4,7	5,70											
40 x 5,9	m	24	0,69	1,83	106040	40	5,8	6,80											
50 x 7,4	m	20	1,04	2,75	106050	50	7,1	7,80											
63 x 9,3	m	20	1,57	4,07	106063	63	8,9	9,60											
75 x 11,0	m	8	2,25	5,50	106075	75	10,6	11,30											
90 x 13,2	m	8	3,37	9,17	106090	90	12,7	13,70											
110 x 16,2	m	8	5,00	10,31	106110	110	15,4	17,80											




Teava stabi cu insertie de aluminiu 5



Recomandata la: -apa calda max. 60°C
-incalzire centrala max. 90°C

20 x 3,4	m	100																	
25 x 4,2	m	60																	
32 x 5,4	m	40																	
40 x 6,7	m	24																	
50 x 8,3	m	20																	
63 x 10,5	m	20																	
75 x 12,5	m	8																	
90 x 15,0	m	8																	
110 x 18,3	m	8																	

Teava fibra compozita 6



FITINGURI




D

S


A

7 Izolatie



18 x 6	m	464	2	0,01	1,26	18	6						
22 x 6	m	384	2	0,01	1,53	22	6						
27 x 6	m	280	2	0,02	2,09	27	6						
34 x 6	m	220	2	0,02	2,71	34	6						
42 x 10	m	126	2	0,06	4,56	42	10						
54 x 10	m	80	2	0,08	7,32	54	10						
65 x 10	m	70	2	0,09	8,37	65	10						
76 x 10	m	40	2	0,16	14,65	76	10						
92 x 10	m	32	2	0,12	18,31	92	10						
114 x 15	m	24	2	0,22	24,41	114	15						

8 Cruce



20	ks	100	20	0,03	0,16	235020	20			14,5			
25	ks	100	20	0,04	0,24	235025	25			16,0			

9 Dop probe scurt-lung cu garnitura



1/2"	ks	400	40	0,01	0,04	91401	1/2"						
1/2" L	ks	100	20	0,02	0,12	91402	1/2"						





D D2 A B

FITINGURI



Compensator PN 20 10

16	ks	10	1	0,07	1,60	232016	16	188,0	180,0	290,0	
20	ks	10	1	0,11	1,60	232020	20	210,0	200,0	300,0	
25	ks	5	1	0,21	3,20	232025	25	217,5	205,0	370,0	
32	ks	2	1	0,43	8,00	232032	32	231,0	215,0	400,0	
40	ks	2	1	0,67	8,00	232040	40	295,0	275,0	420,0	



Ocolire 11

16	ks	50	1	0,03	0,24	233016	16		35,0	380,0	
20	ks	50	1	0,07	0,32	233020	20		42,0	400,0	
25	ks	25	1	0,09	0,64	233025	25		30,0	400,0	
32	ks	20	1	0,16	0,80	233032	32		35,0	400,0	
40	ks	10	1	0,33	1,60	233040	40		35,0	400,0	



Cleme de plastic 12

16	ks	1000	50	0,02	0,03	901016					
20	ks	300	50	0,03	0,05	901020					
25	ks	250	50	0,05	0,06	901025					
32	ks	500	50	0,02	0,05	904032					
40	ks	500	50	0,03	0,06	904040					
50	ks	200	25	0,04	0,16	904050					
63	ks	100	25	0,05	0,19	904063					
75	ks	50	1	0,10	0,38	904075					
90	ks	50	1	0,12	0,50	904090					
110	ks	30	1	0,15	0,64	904110					
Brida	dubla	de	plastic								
2 x 20	ks	500	50	0,02	0,05	902020					
2 x 25	ks	400	50	0,03	0,06	902025					



FITINGURI




D

A


B

13 Mufa





16	ks	400	50	0,01	0,03	201016	16	13,3	29,0		
20	ks	200	50	0,01	0,05	201020	20	14,5	32,0		
25	ks	100	50	0,03	0,10	201025	25	16,0	35,0		
32	ks	50	10	0,04	0,19	201032	32	18,1	39,0		
40	ks	50	10	0,06	0,24	201040	40	20,5	44,0		
50	ks	20	4	0,11	0,60	201050	50	23,5	50,0		
63	ks	10	2	0,19	0,87	201063	63	27,4	58,0		
75	ks	5	1	0,27	1,92	201075	75	31,0	64,0		
90	ks	5	1	0,42	2,40	201090	90	35,5	71,0		
110	ks	5	1	0,67	2,80	201110	110	41,5	79,0		

14 Cot 90°



16	ks	400	50	0,01	0,03	202016	16	13,3	22,0		
20	ks	200	50	0,02	0,07	202020	20	14,5	25,5		
25	ks	100	50	0,03	0,12	202025	25	16,0	29,5		
32	ks	50	10	0,06	0,24	202032	32	18,1	35,0		
40	ks	30	6	0,11	0,53	202040	40	20,5	41,5		
50	ks	20	4	0,19	0,96	202050	50	23,5	49,5		
63	ks	10	2	0,37	1,92	202063	63	27,4	60,0		
75	ks	5	1	0,52	3,20	202075	75	31,0	68,5		
90	ks	5	1	0,79	4,80	202090	90	35,5	79,0		
110	ks	4	1	1,38	5,50	202110	110	41,5	93,0		

15 Cot 45°



16	ks	400	50	0,01	0,04	203016	16	13,3	17,5		
20	ks	200	50	0,01	0,07	203020	20	14,5	19,5		
25	ks	100	50	0,03	0,12	203025	25	16,0	22,0		
32	ks	50	10	0,05	0,24	203032	32	18,1	25,5		
40	ks	30	10	0,09	0,53	203040	40	20,5	30,0		
50	ks	20	4	0,15	0,96	203050	50	23,5	35,0		
63	ks	10	2	0,30	1,92	202063	63	27,4	41,5		
75	ks	6	2	0,45		202075	75	30,0	48,1		
90	ks	2	1	0,72		202090	90	33,0	54,1		




D, D1 D2 A A2, C

FITINGURI


Cot 90° interior-exterior 16

20	ks	300	50	0,01	0,05	204020	20	20	14,5	16,5		
25	ks	100	25	0,03	0,14	204025	25	25	16,0	18,0		
32	ks	50	10	0,06	0,24	202032	32					




Cot 45° interior-exterior 17

16	ks	400	20	0,01	0,04	205016	16	16	13,3	15,0		
20	ks	200	20	0,02	0,07	205020	20	20	14,5	16,5		



Cot 90° redus 18

25 x 20	ks	100	20	0,03	0,12	211025020	25	20	16,0	14,5		



FITINGURI





D

G

A


B

19 Robinet de trecere cu sfera




16	ks	20	10	0,12	0,17	301016	16	13,0	74,5		
20	ks	20	10	0,12	0,34	301020	20	14,5	74,5		
25	ks	20	4	0,21	0,69	301025	25	16,0	73,0		
32	ks	20	2	0,36	0,69	301032	32	18,0	91,0		
40	ks	10	2	0,36	1,60	301040	40	20,5	105,0		
50	ks	10	1	0,65	1,60	301050	50	23,5	121,5		
63	ks	5	1	1,12	4,80	301063	63	27,5	144,0		
75	ks	5	1	1,83	4,80	301075	75	30,0	165,0		

20 Robinet de trecere cu sfera sub tencuiala



20L	ks	20	1	0,21	0,60	313021	20				

21 Robinet de trecere



20	ks	20	1	0,15	0,60	304020	20	14,5	76,0		
25	ks	20	1	0,21	0,60	304025	25	16,0	82,0		
32	ks	20	1	0,32	0,96	304032	32	18,0	94,0		
40	ks	10	1	0,40	1,07	304040	40	20,5	107,0		
50	ks	10	1	0,75	1,92	304050	50	23,5	135,0		
63	ks	1	1	1,29	2,10	304063	63	27,5	160,0		



D, D1,
D3*

D2


B

C

FITINGURI


Teu egal 22

16	ks	300	50	0,02	0,08	208016	16		44,0	22,0	
20	ks	100	50	0,03	0,12	208020	20		51,0	25,5	
25	ks	100	25	0,04	0,24	208025	25		59,0	29,5	
32	ks	30	10	0,08	0,40	208032	32		70,0	35,0	
40	ks	20	4	0,13	0,96	208040	40		83,0	41,5	
50	ks	10	2	0,25	1,60	208050	50		99,0	49,5	
63	ks	5	1	0,46	2,74	208063	63		120,0	60,0	
75	ks	5	1	0,62	3,20	208075	75		137,0	68,5	
90	ks	5	1	0,99	4,80	208090	90		158,0	79,0	
110	ks	2	1	1,78	5,50	208110	110		186,0	93,0	




Teu redus 23

20 x 16 x 20	ks	200	25	0,03	0,10	212020016	20	16	47,0	24,0	
25 x 20 x 20	ks	100	10	0,05	0,24	212020021	25/20	20	52,5	28,0	
25 x 20 x 25	ks	100	25	0,04	0,24	212025020	25	20	54,0	28,0	
32 x 20 x 32	ks	50	25	0,07	0,38	212032020	32	20	58,0	31,5	
32 x 25 x 32	ks	50	25	0,07	0,38	212032025	32	25	63,0	33,0	
40 x 20 x 40	ks	30	10	0,09	0,46	212040020	40	20	63,0	35,5	
40 x 25 x 40	ks	30	10	0,13	0,64	212040025	40	25	68,0	37,0	
40 x 32 x 40	ks	30	10	0,13	0,64	212040032	40	32	75,0	39,0	
50 x 25 x 50	ks	20	4	0,18	0,96	212050025	50	25	74,0	42,0	
50 x 32 x 50	ks	20	4	0,19	0,96	212050032	50	32	81,0	44,0	
50 x 40 x 50	ks	20	4	0,21	0,96	212050040	50	40	89,0	46,5	
63 x 32 x 63	ks	10	2	0,35	1,92	212063032	63	32	89,0	50,5	
63 x 40 x 63	ks	10	2	0,34	1,92	212063040	63	40	97,0	53,0	
63 x 50 x 63	ks	10	2	0,39	1,92	212063050	63	50	107,0	56,0	
90 x 63 x 90	ks	5	1	0,77	4,80	212090063	90	63	131,0	73,5	
90 x 75 x 90	ks	5	1	0,85	4,80	212090075	90	75	143,0	76,0	



Supapa de retinere 24

20	ks	10	1	0,19	0,25	308020	20		14,5	91,0	
25	ks	10	1	0,19	0,25	308025	25		16,0	91,0	



FITINGURI




D

G

A


B

25 Reductie interior-exterior




20 × 16	ks	500	50	0,01	0,02	210020016	20	16	13,3	29,3		
25 × 20	ks	300	50	0,01	0,05	210025020	25	20	14,5	33,0		
32 × 20	ks	150	30	0,03	0,13	210032020	32	20	14,5	37,0		
32 × 25	ks	200	25	0,03	0,12	210032025	32	25	16,0	38,5		
40 × 20	ks	150	10	0,02	0,13	210040020	40	20	14,5	41,5		
40 × 25	ks	150	30	0,03	0,16	210040025	40	25	16,0	43,0		
40 × 32	ks	100	25	0,04	0,24	210040032	40	32	18,1	45,1		
50 × 32	ks	50	10	0,05	0,27	210050032	50	32	18,1	50,6		
50 × 40	ks	30	6	0,05	0,30	210050040	50	40	20,5	53,0		
63 × 32	ks	50	10	0,07	0,32	210063032	63	32	18,1	44,0		
63 × 40	ks	30	10	0,08	0,40	210063040	63	40	20,5	60,0		
63 × 50	ks	20	10	0,12	0,60	210063050	63	50	23,5	63,0		
75 × 63	ks	10	2	0,21	1,37	210075063	75	63	27,4	70,9		
90 × 63	ks	10	2	0,24	0,98	210090063	90	63	27,4	77,9		
90 × 75	ks	5	1	0,27	2,40	210090075	90	75	31,0	80,5		
110 × 90	ks	5	1	0,50	2,80	210110090	110	90	35,5	92,5		

26 Mufa filet exterior "dgk"



16 × 1/2"	ks	100	10	0,09	0,10	215016	16	1/2"	13,3	41,0		
20 × 1/2"	ks	100	10	0,08	0,10	215020	20	1/2"	14,5	41,0		
20 × 3/4"	ks	50	10	0,14	0,16	215021	20	3/4"	14,5	43,0		
25 × 3/4"	ks	50	10	0,14	0,16	215025	25	3/4"	16,0	44,0		
32 × 1"	ks	30	10	0,19	0,27	215032	32	1"	18,1	47,0		
40 × 5/4"	ks	30	10	0,31	0,46	215040	40	5/4"	20,5	52,5		
50 × 6/4"	ks	20	4	0,34	0,69	215050	50	6/4"	23,5	55,5		
63 × 2"	ks	5	1	0,73	1,37	215063	63	2"	27,4	63,5		
75 × 2,5"	ks	5	1	1,11	2,74	215075	75	2,5"	31,0	65,0		
90 × 3"	ks	5	1	1,64	3,20	215090	90	3"	35,5	79,0		

27 Racord plastic cu filet exterior "dg"



20 × 1/2"	ks	200	20	0,01	0,03	213020	20	1/2"	14,5	32,0		
25 × 3/4"	ks	100	20	0,03	0,05	213025	25	3/4"	14,5	44,0		
32 × 1"	ks	50	10	0,03	0,10	213032	32	1"	18,1	54,0		
40 × 5/4"	ks	30	10	0,07	0,20	213040	40	5/4"	20,5	57,5		
50 × 6/4"	ks	30	10	0,12	0,35	213050	50	6/4"	23,5	65,0		
63 × 2"	ks	10	2	0,22	0,50	213063	63	2"	27,4	75,0		




D G A B

FITINGURI


Mufa filet interior "dgc" 28

16 × 1/2"	ks	100	10	0,06	0,10	217016	16	1/2"	13,3	43,0		
20 × 1/2"	ks	100	10	0,06	0,10	217020	20	1/2"	14,5	37,0		
20 × 3/4"	ks	50	10	0,11	0,16	217021	20	3/4"	14,5	50,0		
25 × 1/2"	ks	50	10	0,06	0,16	217026	20	1/2"	16,0	50,0		
25 × 3/4"	ks	50	10	0,10	0,16	217025	25	3/4"	16,0	50,0		
32 × 1"	ks	30	10	0,18	0,27	217032	32	1"	18,1	55,0		
40 × 5/4"	ks	30	10	0,31	0,46	217040	40	5/4"	20,5	57,0		
50 × 6/4"	ks	20	4	0,37	0,69	217050	50	6/4"	23,5	52,5		
63 × 2"	ks	5	1	0,66	1,37	217063	63	2"	27,4	63,5		




Mufa olandez metal 29

16 × 1/2"	ks	50	10	0,05	0,05	223016	16	1/2"	13,3	43,0		
16 × 3/4"	ks	50	10	0,08	0,06	223017	16	3/4"	13,3	43,0		
20 × 1/2"	ks	50	10	0,05	0,05	223020	20	1/2"	14,5	43,0		
20 × 3/4"	ks	50	10	0,08	0,06	223021	20	3/4"	14,5	37,0		
20 × 1"	ks	50	1	0,23	0,06	223022	20	1"	14,5	50,0		
25 × 1"	ks	30	1	0,26	0,07	223025	25	1"	16,0	50,0		
32 × 5/4"	ks	30	1	0,38	0,12	223032	32	5/4"	18,1	55,0		



Imbinare demontabila teava cu olandez 30

20	ks	10	1	0,08	0,15	224020	20			73,0		
25	ks	10	1	0,12	0,20	224025	25			93,5		
32	ks	10	1	0,19	0,25	224032	32			93,5		
40	ks	5	1	0,27	0,35	224040	40			105,0		
50	ks	5	1	0,49	0,65	224050	50			123,4		



FITINGURI




D

G

A


B

31 Racord olandez plastic cu imbinare metalica



20 x 3/4"	ks	50	1	0,04	0,05	225021	20	3/4"	14,5	32,0		
25 x 1"	ks	30	1	0,07	0,10	225026	25	1"	16,0	35,0		
32 x 5/4"	ks	20	1	0,10	0,18	225033	32	5/4"	18,0	49,0		
40 x 6/4"	ks	10	1	0,16	0,22	225040	40	6/4"	20,5	51,5		
50 x 2"	ks	10	1	0,30	0,41	225050	50	2"	23,5	60,5		

32 Racord olandez plastic reductie




16 x 3/4"	ks	100	10	0,05	0,16	226017	16	3/4"	13,0	38,0		
20 x 1/2"	ks	100	10	0,04	0,16	226020	20	1/2"	14,5	32,0		
25 x 3/4"	ks	100	10	0,05	0,19	226025	25	3/4"	16,0	35,0		
32 x 1"	ks	50	5	0,10	0,48	226032	32	1"	18,0	43,0		

33 Olandez plastic-metal filet interior



20 x 1/2"	pcs	150	1	0,10	0,07	236020	20	1/2"	14,5	41,0		
25 x 3/4"	pcs	75	1	0,16	0,15	236025	25	3/4"	16,0	44,0		
32 x 1"	pcs	50	1	0,19	0,22	236032	32	1"	18,1	46,0		
40 x 5/4"	pcs	30	1	0,32	0,36	236040	40	5/4"	20,5	51,0		
50 x 6/4"	pcs	20	1	0,48	0,55	236050	50	6/4"	23,5	52,0		
63 x 2"	pcs	8	1	0,82	1,37	236063	63	2"	27,4	64,0		

34 Olandez plastic-metal filet exterior



20 x 1/2"	pcs	125	1	0,11	0,09	237020	20	1/2"	14,5	41,0		
25 x 3/4"	pcs	65	1	0,19	0,17	237025	25	3/4"	16,0	44,0		
32 x 1"	pcs	50	1	0,25	0,22	237032	32	1"	18,1	46,0		
40 x 5/4"	pcs	25	1	0,36	0,44	237040	40	5/4"	20,5	51,0		
50 x 6/4"	pcs	20	1	0,59	0,55	237050	50	6/4"	23,5	52,0		
63 x 2"	pcs	8	1	1,03	1,37	237063	63	2"	27,4	64,0		




D G A B

FITINGURI


Cot 90° filet exterior 35

20 × 1/2"	ks	50	10	0,09	0,16	216020	20	1/2"	14,5	27,0		
20 × 3/4"	ks	30	10	0,14	0,32	216021	20	3/4"	14,5	27,0		
25 × 1/2"	ks	30	10	0,15	0,31	216026	25	1/2"	16,0	40,0		
25 × 3/4"	ks	30	10	0,15	0,32	216025	25	3/4"	16,0	40,0		
32 × 1"	ks	20	5	0,22	0,60	216032	32	1"	18,1	44,0		




Cot 90° filet interior 36

20 × 1/2"	ks	50	10	0,06	0,16	218020	20	1/2"	14,5	27,0		
20 × 3/4"	ks	30	10	0,13	0,32	218021	20	3/4"	14,5	40,0		
25 × 1/2"	ks	30	10	0,10	0,32	218026	25	1/2"	16,0	40,0		
25 × 3/4"	ks	30	10	0,12	0,32	218025	25	3/4"	16,0	40,0		
32 × 1"	ks	20	5	0,20	0,60	218032	32	1"	18,1	44,0		



Cot racordare obiecte sanitare 37

16 × 1/2"	ks	50	10	0,07	0,21	219016	16	1/2"	13,3	35,0		
20 × 1/2"	ks	50	10	0,07	0,21	219020	20	1/2"	14,5	35,0		
25 × 3/4"	ks	30	10	0,13	0,36	219025	25	3/4"	16,0	40,0		



FITINGURI




D

G

A


B

38 Dop




16	ks	200	25	0,004	0,02	229016	16	13,3	18,5		
20	ks	400	20	0,01	0,04	229020	20	14,5	21,0		
25	ks	300	20	0,01	0,05	229025	25	16,0	26,0		
32	ks	100	10	0,03	0,12	229032	32	18,1	31,0		
40	ks	50	10	0,05	0,24	229040	40	20,5	32,5		
50	ks	20	4	0,09	0,30	229050	50	23,5	47,0		
63	ks	10	2	0,15	0,40	229063	63	27,4	51,0		

39 Flansa



40	ks	20	4	0,07	0,35	230040	40	49,0			
50	ks	20	4	0,10	0,55	230050	50	55,0			
63	ks	10	2	0,15	0,67	230063	63	60,0			
75	ks	10	2	0,26	1,20	230075	75	66,0			
90	ks	5	1	0,37	1,35	230090	90	80,0			
110	ks	5	1	0,62	2,45	230110	110	103,0			

40 Set racordare obiecte sanitare



2 × 20 × 1/2"	ks	10	2	0,20	1,37	221020	20	1/2"	14,5	44,0		
---------------	----	----	---	------	------	--------	----	------	------	------	--	--




D G A B

FITINGURI


Teu racord interior metalic 41

20 × 1/2"	ks	50	10	0,07	0,19	222020	20	1/2"	14,5	54,0		
25 × 1/2"	ks	50	10	0,08	0,24	222026	25	1/2"	16,0	68,8		
25 × 3/4"	ks	30	10	0,13	0,32	222025	25	3/4"	16,0	66,0		
32 × 1"	ks	20	4	0,22	0,60	222032	32	1"	18,1	74,0		




Teu racord exterior metalic 42

20 × 1/2"	ks	50	10	0,09	0,19	222520	20	1/2"	14,5	54,0		
25 × 1/2"	ks	50	10	0,10	0,24	222526	25	1/2"	16,0	68,8		
25 × 3/4"	ks	30	10	0,17	0,32	222525	25	3/4"	16,0	66,0		



Teu racordare obiecte sanitare 43

20 × 1/2"	ks	50	10	0,08	0,21	220020	20	1/2"	14,5			



SCULE



D

44 Componente pentru sudura prin polifuziune(bac nepereche)




16	ks	1	1				16				
20	ks	1	1				20				
25	ks	1	1				25				
32	ks	1	1				32				
40	ks	1	1				40				
50	ks	1	1				50				
63	ks	1	1				63				

45 Componente pentru sudura prin polifuziune(bac pereche)



16	ks	1	1				16				
20	ks	1	1				20				
25	ks	1	1				25				
32	ks	1	1				32				
40	ks	1	1				40				
50	ks	1	1				50				
63	ks	1	1				63				
75	ks	1	1				75				
90	ks	1	1				90				
110	ks	1	1				110				

46 Aparate de lipire cu tija si placa



Aparat lipire cu tija 1a pentru diametre 16-63	40403	650W								
Aparat lipire cu placa pentru diametre 16-63	10100/TF	650W								
Aparat lipire cu placa pentru diametre 16-110	10110/TF	900W								
Aparat lipire cu placa pentru diametre 16-125	10125/TF	1400 W								
APARATE DE BANC										
Aparat de banc MP 75		32 - 75 mm								
Aparat de banc MP 110		63-110 mm								

47 Truse



Trusa cu aparat de lipire si bacuri de la 20-32	1045/M3/TF	650W								
Trusa cu aparat de lipire si bacuri de la 16-63	1045/TF	650W								
Trusa cu aparat de lipire si bacuri de la 20-110	1043/TFA	1400W								

16-20	ks	1	1									
20-25	ks	1	1									
25-32	ks	1	1									
32-40	ks	1	1									
50-63	ks	1	1									
75-90	ks	1	1									
50	ks	1	1									
63	ks	1	1									
75	ks	1	1									
90	ks	1	1									
110	ks	1	1									



20	ks	1	1					20				
25	ks	1	1					25				
32	ks	1	1					32				
40	ks	1	1					40				
50	ks	1	1					50				
63	ks	1	1					63				
75	ks	1	1					75				
90	ks	1	1					90				
110	ks	1	1					110				


[illegible]

SET REPARATII									
SET DOPURI PENTRU REPARATII						12			





52 Cheie de strangere



Partile metalice ale fittingurilor mixte sunt din alama nichelata



Importator si distribuitor:

sc REC INSTAL

Bucuresti

Tel-Fax: 021-3237894
021-4100422

GSM: 0744514514
0744563563

e-mail: office@rec-instal.ro

www.rec-instal.ro

